



SUMMERTIME SPECIALS

Savings valid from May 1st through June 30th, 2023. Pricing valid at your preferred authorized Dahua distributor.

NETWORK TECHNOLOGY

VU-MORE Color Series

- 2.8 mm Fixed Lens
- Analytics+ Function – Perimeter Protection and Smart Motion Detection+

- Maximum IR LED Length 30 m (98.43 ft) with Smart IR
- True WDR (120 dB)



\$218⁹⁹

N42DJS2
4MP Basic Night Color



\$397⁹⁹

N82DJS2
8MP Basic Night Color

4MP TiOC

- 2.8 mm Fixed Lens
- Analytics+ Function – Perimeter Protection and Smart Motion Detection+

- Maximum IR LED Length 30 m (98.43 ft) with Smart IR
- True WDR (120 dB)



\$453⁹⁹

N43BU82
4MP TiOC



\$453⁹⁹

N43BX82
4MP TiOC

4MP Enhanced Starlight

- 2.8 mm Fixed Lens
- Analytics+ Function – Perimeter Protection and Smart Motion Detection+

- Maximum IR LED Distance 50 m (164.04 ft)
- True WDR (120 dB)



\$325⁹⁹

N43AJ52-B
4MP Enhanced Starlight



\$311⁹⁹

N43AL52
4MP Enhanced Starlight



\$311⁹⁹

N43AN52
4MP Enhanced Starlight

4MP Enhanced Starlight - Vari-focal

- 2.7 mm to 13.5 mm Motorized Vari-focal Lens
- Analytics+ Function – Perimeter Protection and Smart Motion Detection+

- Maximum IR LED Distance 40 m (131.23 ft)
- True WDR (120 dB)



\$565⁹⁹

N43AF5Z
4MP Enhanced Starlight



\$565⁹⁹

N43AM5Z
4MP Enhanced Starlight

Pricing Listed is in CAD. Pricing listed is suggested price. Pricing may vary by distributor. Offer is not stackable with any other discount, promotion, or special pricing. Offer only available on listed models, while supplies last. No Rainchecks. For more information contact sales.usa@dahuatech.com



Register Now and Start Your Program Benefits Today!



SUMMERTIME SPECIALS

NETWORK TECHNOLOGIES

4MP Starlight+ - Fixed and Vari-Focal

- 2.8 mm Fixed Lens
- *2.7 mm to 12 mm Motorized Vari-focal Lens
- Analytics+ Functions — People Counting, Perimeter Protection, Smart Motion Detection+, and Face Detection
- Maximum IR LED Distance 26 m (85.30 ft)
- *Maximum IR LED Distance 45 m (147.64 ft)
- True WDR (120 dB)



\$409⁹⁹

N45DM62
4MP Starlight+



\$699⁹⁹

N45DL7Z*
4MP Starlight+ (Vari-focal)

8MP Starlight+

- 2.8 mm Fixed Lens
- *2.7 mm to 12 mm Motorized Vari-focal Lens
- Analytics+ Functions — People Counting, Perimeter Protection, Smart Motion Detection+, and Face Detection
- Maximum IR LED Distance 30 m (98.43 ft)
- *Maximum IR LED Distance 60 m (196.85 ft)
- True WDR (120 dB)



\$493⁹⁹

N85DY62
8MP Starlight+



\$773⁹⁹

N85DB6Z*
8MP Starlight+

8MP Starlight+ Vari-Focal

- *2.7 mm to 12 mm Motorized Vari-focal Lens
- 8 mm to 32 mm Motorized Vari-focal Lens
- Analytics+ Functions — People Counting, Perimeter Protection, Smart Motion Detection+, and Face
- True WDR (120 dB)



\$773⁹⁹

N85DL6Z*
8MP Starlight+



\$1,003⁹⁹

DH-IPC-HDBW5842EN-Z4E-S2
8MP Starlight+

5MP Enhanced Starlight

- 2.7 mm to 13.5 mm Motorized Vari-focal Lens
- Analytics+ Function — Perimeter Protection and Smart Motion Detection+
- Maximum IR LED Distance 60 m (196.85 ft)
- *Maximum IR LED Distance 40 m (131.23 ft)
- True WDR (120 dB)



\$695⁹⁹

N53AF5Z
5MP Enhanced Starlight



\$695⁹⁹

N53AJ5Z*
5MP Enhanced Starlight



\$695⁹⁹

N53AM5Z*
5MP Enhanced Starlight

4MP Night Color+

- Dual 2.8 mm Fixed Lenses
- Analytics+ Functions — People Counting, Perimeter Protection, Smart Motion Detection+, and Face Detection
- Maximum IR LED Length 50.0 m (164.04 ft)
- Digital WDR (DWDR)



\$585⁹⁹

N45DUD2
4MP Night Color+

Network Video Recorders



\$601⁹⁹

N41C1P2
Four-channel 4K Smart 1U

- Lite Series NVR with Four (4) Channels
- One (1) SATA Ports (Max. 10 TB capacity per HDD)
- Maximum Incoming Bandwidth of 80 mbps
- Analytics+ Function — Smart Motion Detection+, Face Detection, Perimeter Protection, People Counting



\$1,123⁹⁹

N52B2P2
Eight-channel 4K 1U ePoE

- Pro Series NVR with Eight (8) Channels
- Two (2) SATA Ports (Max. 10 TB capacity per HDD)
- Maximum Incoming Bandwidth of 320 mbps
- Analytics+ Function — Smart Motion Detection+, Face Detection+, Perimeter Protection, Video Analytics



\$1,557⁹⁹

N52B3P4
16-channel 4K ePoE

- Pro Series NVR with 16 Channels
- Two (2) SATA Ports (Max. 10 TB capacity per HDD)
- Maximum Incoming Bandwidth of 320 mbps
- Analytics+ Function — Smart Motion Detection+, Face Detection+



**Register Now and
Start Your Program
Benefits Today!**

LincX2Pro WiFi Consumer Line



\$319⁹⁹

REG. \$319.99

DH-DB61-CAN
5MP Video Doorbell

- Max. Resolution of 5MP (2560 x 1920) at 15 fps
- Dual-band 2.4 GHz and 5 GHz Wi-Fi Connectivity
- Motion Detection with Human Detection
- Built-in Microphone and Speaker for Real-time Communication



SUMMERTIME SPECIALS

ACCESSORIES



\$909⁹⁹

DH-PFS4226-24GT-360 24-port Managed Gigabit PoE Switch

- Layer 2 Managed PoE Switch
- Supports the IEEE802.3af and IEEE802.3at Standards and Hi-PoE
- STP/RTSP/MSTP Network Redundancy
- SNP Network Management



\$591⁹⁹

DHI-LM32-F200 31.5-in. Full HD LED Monitor

- 31.5-in. 1980 x 1080 Resolution
- Supports HDMI, VGA, and USB Video Inputs
- Compatible with VESA Mounting Patterns
- Blue Light Filter



\$205⁹⁹

DH-PFM920I-5EU-U CAT5e UTP Cable

- 305 m (1000 ft) CAT5e UTP Cable
- 99.97% Oxygen-free Copper
- Customized PVC Outer Sheath
- Certified to the UL 1685 Flame Resistance Standard



\$101⁹⁹

DH-PFS3006-4ET-60 Four-port Fast Ethernet PoE Switch

- Layer 2 Commercial Switch
- Conforms to IEEE802.3, IEEE802.3u and IEEE802.3X, IEEE802.3af and IEEE802.3at
- Supports Hi-PoE (60 W)
- MAC Auto-learning and Aging; 2K MAC Address Capacity

HDCVI TECHNOLOGIES

8MP Enhanced Starlight

- *3.6 mm Fixed Lens
- 2.8 mm Fixed Lens
- *Maximum IR LED Length 80 m (262 ft) with Smart IR



\$205⁹⁹

A82AF53* 4K Enhanced Starlight

- Maximum IR LED Length 30 m (98.43 ft) with Smart IR
- True WDR (120 dB)



\$205⁹⁹

A82AM52 4K Enhanced Starlight

4K HDCVI

\$178⁹⁹



A82CJN2 4K Enhanced Night Color HDCVI

- 2.8 mm Fixed Lens
- Maximum IR LED Length 40 m (131.23 ft) with Smart IR
- True WDR (120 dB)

5MP HDCVI Cameras



\$111⁹⁹

A51BJ02-B 5MP HDCVI

- 2.8 mm Fixed Lens
- Maximum IR LED Length 30 m (98.43 ft) with Smart IR
- Digital WDR (DWDR)



\$305⁹⁹

A52BFAZ 5MP Starlight+ Vari-Focal

- 2.7 mm to 13.5 mm Motorized Vari-focal Lens
- Maximum IR LED Length 80 m (262 ft) with Smart IR
- True WDR (120 dB)

\$213⁹⁹



A52CJC2 5MP TiOC

- 2.8 mm Fixed Lens
- Maximum IR LED Length 30 m (98.43 ft) with Smart IR
- True WDR (120 dB)

Digital Video Recorder

\$1,733⁹⁹



X82R3N4 16-channel 4K 1U Penta-brid

- Pro Series HDCVI DVR with 16 Channels
- Two (2) SATA Ports (Max. 10 TB capacity per HDD)
- Maximum Incoming Bandwidth of 128 mbps
- Analytics+ Function – Smart Motion Detection, Perimeter Protection

**Register Now and
Start Your Program
Benefits Today!**



@hua TECHNOLOGY **SUMMERTIME SPECIALS**

Security System Kits



\$1,679⁹⁹

**N484E62B
4MP Starlight Network Security System
Cameras**

- 2.8 mm Fixed Lens
- Maximum IR Length 30 m (98 ft) with Smart IR

4K NVR

- Lite Series NVR with Eight (8) Channels
- One (1) SATA Ports
(Max. 10 TB capacity per HDD)



\$3,225⁹⁹

**N564E124S
4MP Starlight Network Security System
Cameras**

- 2.8 mm Fixed Lens
- Maximum IR Length 30 m (98 ft) with Smart IR

4K NVR

- Pro Series NVR with 16 Channels
- Two (2) SATA Ports
(Max. 10 TB capacity per HDD)



\$537⁹⁹

**C542E42B
2MP HDCVI Security System
Cameras**

- 2.8 mm Fixed Lens
- Maximum IR Length 30 m (98 ft) with Smart IR

1080p Penta-brid HDCVI DVR

- Lite Series NVR with Four (4) Channels
- One (1) SATA Ports
(Max. 10 TB capacity per HDD)



\$1,149⁹⁹

**N444E42B
4MP Starlight Network Security System
Cameras**

- 2.8 mm Fixed Lens
- Maximum IR Length 30 m (98 ft) with Smart IR

4K NVR

- Lite Series NVR with Four (4) Channels
- One (1) SATA Ports
(Max. 10 TB capacity per HDD)

ACCESS CONTROL PRODUCTS



\$229⁹⁹

**DHI-ASR1102A(V3)
RFID Fingerprint Reader (V3)**

- RS-485 Protocol
- Card Reading Range of 0 cm to 5.0 cm (0 in. to 1.97 in.)
- Slim (Mullion) Mount



\$95⁹⁹

**DHI-ASR1100B-V1
Waterproof RFID Reader**

- Wiegand and RS-485 Protocols
- Card Reading Range of 1.0 cm to 9.0 cm (0.39 in. to 3.54 in.)
- Standard Mount
- IP67 Ingress Protection



\$203⁹⁹

**DHI-ASR1101M-V1
RFID Card Reader**

- Wiegand and RS-485 Protocols
- Card Reading Range of 0.0 cm to 3.0 cm (0 in. to 1.18 in.)
- Standard Mount
- IK08 Vandal Resistance



\$962⁹⁹

**DHI-ASC3202B
Web Access Controller**

- Controls Up to Two (2) Doors - Scalable up to 40 Doors
- Interface with card readers through Wiegand and RS-485 protocols
- Supports 1,000 users, 3,000 fingerprints, 5,000 cards and 300,000 records capacity



\$1,119⁹⁹

**DHI-ASC2204C-S
Four-door Multi-function
Access Controller**

- Standard Door Controller
- Up to (4) Doors - Scalable up to 40 Doors
- Supports TCP/IP, RS485, and Wiegand Protocols
- Stores 100,000 User and 500,000 Card-swipe Records



\$559⁹⁹

**DHI-ASI2212H-W
Access Reader and Controller**

- TCP/IP and WiFi Communication
- Card Reading Range of 0 cm to 5.0 cm (0 in. to 1.97 in.)
- Standard Mount
- IP65 Ingress Protection



\$1,031⁹⁹

**DHI-KTP01(S)
IP Video Intercom Kit**

Kit Components

- DHI-VT02202F-P IP Outdoor Station
- DHI-VTH2421FW-P Indoor Monitor
- DH-PFS3005-4ET-60 PoE Switch
- VTM115 Surface-mount Box for DHI-VT02202F-P



\$587⁹⁹

**DHI-VTH2421FW-P
IP Indoor Monitor**

- WiFi Connection
- Indoor Monitor
- 7-inch TFT Screen
- Supports H.265 and H.264 Video Encoding

Pricing Listed is in CAD. Pricing listed is suggested price. Pricing may vary by distributor. Offer is not stackable with any other discount, promotion, or special pricing. Offer only available on listed models, while supplies last. No Rainchecks. For more information contact sales.usa@dahuatech.com