



# SUMMERTIME SPECIALS

Savings valid from May 1st through June 30th, 2023. Pricing valid at your preferred authorized Dahua distributor.

## NETWORK TECHNOLOGY

### VU-MORE Color Series

- 2.8 mm Fixed Lens
- Analytics+ Function – Perimeter Protection and Smart Motion Detection+

- Maximum IR LED Length 30 m (98.43 ft) with Smart IR
- True WDR (120 dB)



**\$211<sup>99</sup>**

N42DJS2  
4MP Basic Night Color



**\$297<sup>99</sup>**

N82DJS2  
8MP Basic Night Color

### 4MP TiOC

- 2.8 mm Fixed Lens
- Analytics+ Function – Perimeter Protection and Smart Motion Detection+

- Maximum IR LED Length 30 m (98.43 ft) with Smart IR
- True WDR (120 dB)



**\$339<sup>99</sup>**

N43BU82  
4MP TiOC



**\$339<sup>99</sup>**

N43BX82  
4MP TiOC

### 4MP Enhanced Starlight

- 2.8 mm Fixed Lens
- Analytics+ Function – Perimeter Protection and Smart Motion Detection+

- Maximum IR LED Distance 50 m (164.04 ft)
- True WDR (120 dB)



**\$243<sup>99</sup>**

N43AJ52-B  
4MP Enhanced Starlight



**\$233<sup>99</sup>**

N43AL52  
4MP Enhanced Starlight



**\$233<sup>99</sup>**

N43AN52  
4MP Enhanced Starlight

### 4MP Enhanced Starlight - Vari-focal

- 2.7 mm to 13.5 mm Motorized Vari-focal Lens
- Analytics+ Function – Perimeter Protection and Smart Motion Detection+

- Maximum IR LED Distance 40 m (131.23 ft)
- True WDR (120 dB)



**\$425<sup>99</sup>**

N43AF5Z  
4MP Enhanced Starlight



**\$425<sup>99</sup>**

N43AM5Z  
4MP Enhanced Starlight

Pricing Listed is in USD. Pricing listed is suggested price. Pricing may vary by distributor. Offer is not stackable with any other discount, promotion, or special pricing. Offer only available on listed models, while supplies last. No Rainchecks. For more information contact sales.usa@dahuatech.com



Register Now and Start Your Program Benefits Today!



# SUMMERTIME SPECIALS

## NETWORK TECHNOLOGIES

### 4MP Starlight+ - Fixed and Vari-Focal

- 2.8 mm Fixed Lens
- \*2.7 mm to 12 mm Motorized Vari-focal Lens
- Analytics+ Functions — People Counting, Perimeter Protection, Smart Motion Detection+, and Face Detection
- Maximum IR LED Distance 26 m (85.30 ft)
- \*Maximum IR LED Distance 45 m (147.64 ft)
- True WDR (120 dB)



**\$307<sup>99</sup>**

N45DM62  
4MP Starlight+



**\$525<sup>99</sup>**

N45DL7Z\*  
4MP Starlight+ (Vari-focal)

### 8MP Starlight+

- 2.8 mm Fixed Lens
- \*2.7 mm to 12 mm Motorized Vari-focal Lens
- Analytics+ Functions — People Counting, Perimeter Protection, Smart Motion Detection+, and Face Detection
- Maximum IR LED Distance 30 m (98.43 ft)
- \*Maximum IR LED Distance 60 m (196.85 ft)
- True WDR (120 dB)



**\$369<sup>99</sup>**

N85DY62  
8MP Starlight+



**\$579<sup>99</sup>**

N85DB6Z\*  
8MP Starlight+

### 8MP Starlight+ Vari-Focal

- \*2.7 mm to 12 mm Motorized Vari-focal Lens
- 8 mm to 32 mm Motorized Vari-focal Lens
- Analytics+ Functions — People Counting, Perimeter Protection, Smart Motion Detection+, and Face
- True WDR (120 dB)



**\$579<sup>99</sup>**

N85DL6Z\*  
8MP Starlight+



**\$751<sup>99</sup>**

DH-IPC-HDBW5842EN-Z4E-S2  
8MP Starlight+



**\$751<sup>99</sup>**

DH-IPC-HFW5842EN-Z4E-S2  
8MP Starlight+

### LincX2Pro WiFi Consumer Line



**\$239<sup>99</sup>**

DH-DB61  
5MP Video Doorbell

- Max. Resolution of 5MP (2560 x 1920) at 15 fps
- Dual-band 2.4 GHz and 5 GHz Wi-Fi Connectivity
- Motion Detection with Human Detection
- Built-in Microphone and Speaker for Real-time Communication



**\$299<sup>99</sup>**

IPC-L46N-USA  
4MP Floodlight Camera

- Max. Resolution of 4MP (2560 x 1440) at 30 fps
- Dual-band 2.4 GHz and 5 GHz Wi-Fi Connectivity
- Analytics+ Function — Perimeter Protection
- Active Alarm with integrated 110 dB siren and two powerful floodlights

### 5MP Enhanced Starlight

- 2.7 mm to 13.5 mm Motorized Vari-focal Lens
- Analytics+ Function — Perimeter Protection and Smart Motion Detection+
- Maximum IR LED Distance 60 m (196.85 ft)
- \*Maximum IR LED Distance 40 m (131.23 ft)
- True WDR (120 dB)



**\$521<sup>99</sup>**

N53AF5Z  
5MP Enhanced Starlight



**\$521<sup>99</sup>**

N53AJ5Z\*  
5MP Enhanced Starlight



**\$521<sup>99</sup>**

N53AM5Z\*  
5MP Enhanced Starlight

### 4MP Night Color+

- Dual 2.8 mm Fixed Lenses
- Analytics+ Functions — People Counting, Perimeter Protection, Smart Motion Detection+, and Face Detection
- Maximum IR LED Length 50.0 m (164.04 ft)
- Digital WDR (DWDR)



**\$439<sup>99</sup>**

N45DUD2  
4MP Night Color+

### Network Video Recorders



**\$451<sup>99</sup>**

N41C1P2  
Four-channel 4K Smart 1U

- Lite Series NVR with Four (4) Channels
- One (1) SATA Ports (Max. 10 TB capacity per HDD)
- Maximum Incoming Bandwidth of 80 mbps
- Analytics+ Function — Smart Motion Detection+, Face Detection, Perimeter Protection, People Counting



**\$843<sup>99</sup>**

N52B2P2  
Eight-channel 4K 1U ePoE

- Pro Series NVR with Eight (8) Channels
- Two (2) SATA Ports (Max. 10 TB capacity per HDD)
- Maximum Incoming Bandwidth of 320 mbps
- Analytics+ Function — Smart Motion Detection+, Face Detection+, Perimeter Protection, Video Analytics



**\$1,167<sup>99</sup>**

N52B3P4  
16-channel 4K ePoE

- Pro Series NVR with 16 Channels
- Two (2) SATA Ports (Max. 10 TB capacity per HDD)
- Maximum Incoming Bandwidth of 320 mbps
- Analytics+ Function — Smart Motion Detection+, Face Detection+

# SUMMERTIME SPECIALS

## ACCESSORIES



**\$681<sup>99</sup>**

### DH-PFS4226-24GT-360 24-port Managed Gigabit PoE Switch

- Layer 2 Managed PoE Switch
- Supports the IEEE802.3af and IEEE802.3at Standards and Hi-PoE
- STP/RTSP/MSTP Network Redundancy
- SNP Network Management



**\$443<sup>99</sup>**

### DHI-LM32-F200 31.5-in. Full HD LED Monitor

- 31.5-in. 1980 x 1080 Resolution
- Supports HDMI, VGA, and USB Video Inputs
- Compatible with VESA Mounting Patterns
- Blue Light Filter



**\$153<sup>99</sup>**

### DH-PFM920I-5EU-U CAT5e UTP Cable

- 305 m (1000 ft) CAT5e UTP Cable
- 99.97% Oxygen-free Copper
- Customized PVC Outer Sheath
- Certified to the UL 1685 Flame Resistance Standard



**\$75<sup>99</sup>**

### DH-PFS3006-4ET-60 Four-port Fast Ethernet PoE Switch

- Layer 2 Commercial Switch
- Conforms to IEEE802.3, IEEE802.3u and IEEE802.3X, IEEE802.3af and IEEE802.3at
- Supports Hi-PoE (60 W)
- MAC Auto-learning and Aging; 2K MAC Address Capacity

## HDCVI TECHNOLOGIES

### 8MP Enhanced Starlight

- \*3.6 mm Fixed Lens
- 2.8 mm Fixed Lens
- \*Maximum IR LED Length 80 m (262 ft) with Smart IR

**\$153<sup>99</sup>**



### A82AF53\* 4K Enhanced Starlight

- Maximum IR LED Length 30 m (98.43 ft) with Smart IR
- True WDR (120 dB)

**\$153<sup>99</sup>**



### A82AM52 4K Enhanced Starlight

### 4K HDCVI

**\$133<sup>99</sup>**



### A82CJN2 4K Enhanced Night Color HDCVI

- 2.8 mm Fixed Lens
- Maximum IR LED Length 40 m (131.23 ft) with Smart IR
- True WDR (120 dB)

### 5MP HDCVI Cameras

**\$83<sup>99</sup>**



### A51BJ02-B 5MP HDCVI

- 2.8 mm Fixed Lens
- Maximum IR LED Length 30 m (98.43 ft) with Smart IR
- Digital WDR (DWDR)

**\$229<sup>99</sup>**



### A52BFAZ 5MP Starlight+ Vari-Focal

- 2.7 mm to 13.5 mm Motorized Vari-focal Lens
- Maximum IR LED Length 80 m (262 ft) with Smart IR
- True WDR (120 dB)

**\$159<sup>99</sup>**



### A52CJC2 5MP TiOC

- 2.8 mm Fixed Lens
- Maximum IR LED Length 30 m (98.43 ft) with Smart IR
- True WDR (120 dB)

### Digital Video Recorder

**\$1,299<sup>99</sup>**



### X82R3N4 16-channel 4K 1U Penta-brid

- Pro Series HDCVI DVR with 16 Channels
- Two (2) SATA Ports (Max. 10 TB capacity per HDD)
- Maximum Incoming Bandwidth of 128 mbps
- Analytics+ Function – Smart Motion Detection, Perimeter Protection

**Register Now and  
Start Your Program  
Benefits Today!**



# **SUMMERTIME SPECIALS**

## Security System Kits



**\$1,259<sup>99</sup>**

REG. \$1,259.99

### N484E62B 4MP Starlight Network Security System Cameras

- 2.8 mm Fixed Lens
  - Maximum IR Length 30 m (98 ft) with Smart IR
- #### 4K NVR
- Lite Series NVR with Eight (8) Channels
  - One (1) SATA Ports  
(Max. 10 TB capacity per HDD)



**\$2,419<sup>99</sup>**

REG. \$2,419.99

### N564E124S 4MP Starlight Network Security System Cameras

- 2.8 mm Fixed Lens
  - Maximum IR Length 30 m (98 ft) with Smart IR
- #### 4K NVR
- Pro Series NVR with 16 Channels
  - Two (2) SATA Ports  
(Max. 10 TB capacity per HDD)



**\$403<sup>99</sup>**

### C542E42B 2MP HDCVI Security System Cameras

- 2.8 mm Fixed Lens
  - Maximum IR Length 30 m (98 ft) with Smart IR
- #### 1080p Penta-brid HDCVI DVR
- Lite Series NVR with Four (4) Channels
  - One (1) SATA Ports  
(Max. 10 TB capacity per HDD)



**\$861<sup>99</sup>**

### N444E42B 4MP Starlight Network Security System Cameras

- 2.8 mm Fixed Lens
  - Maximum IR Length 30 m (98 ft) with Smart IR
- #### 4K NVR
- Lite Series NVR with Four (4) Channels
  - One (1) SATA Ports  
(Max. 10 TB capacity per HDD)

## ACCESS CONTROL PRODUCTS



**\$161<sup>99</sup>**

### DHI-ASR1102A(V3) RFID Fingerprint Reader (V3)

- RS-485 Protocol
- Card Reading Range of 0 cm to 5.0 cm (0 in. to 1.97 in.)
- Slim (Mullion) Mount



**\$72<sup>99</sup>**

### DHI-ASR1100B-V1 Waterproof RFID Reader

- Wiegand and RS-485 Protocols
- Card Reading Range of 1.0 cm to 9.0 cm (0.39 in. to 3.54 in.)
- Standard Mount
- IP67 Ingress Protection



**\$159<sup>99</sup>**

REG. \$159.99

### DHI-ASR1101M-V1 RFID Card Reader

- Wiegand and RS-485 Protocols
- Card Reading Range of 0.0 cm to 3.0 cm (0 in. to 1.18 in.)
- Standard Mount
- IK08 Vandal Resistance



**\$721<sup>99</sup>**

### DHI-ASC3202B Web Access Controller

- Controls Up to Two (2) Doors - Scalable up to 40 Doors
- Interface with card readers through Wiegand and RS-485 protocols
- Supports 1,000 users, 3,000 fingerprints, 5,000 cards and 300,000 records capacity



**\$839<sup>99</sup>**

### DHI-ASC2204C-S Four-door Multi-function Access Controller

- Standard Door Controller
- Up to (4) Doors - Scalable up to 40 Doors
- Supports TCP/IP, RS485, and Wiegand Protocols
- Stores 100,000 User and 500,000 Card-swipe Records



**\$419<sup>99</sup>**

### DHI-ASI2212H-W Access Reader and Controller

- TCP/IP and WiFi Communication
- Card Reading Range of 0 cm to 5.0 cm (0 in. to 1.97 in.)
- Standard Mount
- IP65 Ingress Protection



**\$773<sup>99</sup>**

### DHI-KTP01(S) IP Video Intercom Kit

- Kit Components**
- DHI-VT02202F-P IP Outdoor Station
  - DHI-VTH2421FW-P Indoor Monitor
  - DH-PFS3005-4ET-60 PoE Switch
  - VTM115 Surface-mount Box for DHI-VT02202F-P



**\$441<sup>99</sup>**

### DHI-VTH2421FW-P IP Indoor Monitor

- WiFi Connection
- Indoor Monitor
- 7-inch TFT Screen
- Supports H.265 and H.264 Video Encoding

Pricing Listed is in USD. Pricing listed is suggested price. Pricing may vary by distributor. Offer is not stackable with any other discount, promotion, or special pricing. Offer only available on listed models, while supplies last.

No Rainchecks.

For more information contact sales.usa@dahuatech.com